

AI

AI

: 2026-04-14
: AI , ,
: agentic-ai, multi-agent, memory, orchestration



, AI . , .

- 0.
- 1.
- 2. "" ""
- 3. " " " "
 - 3.1
 - 3.2
- 4.
- 5. ReAct CrewAI/LangGraph:
 - 5.1 : ReAct
 - 5.2
- 6.
 - 6.1 1: + +
 - 6.2 2:
 - 6.3 3: +
- 7.
- 8.

0.

AI agent, agentic AI, multi-agent, workflow, memory . , .


, AI .

.

- .
- .
- .
- vs trade-off .

1.

.



/	SaaS	Agentic AI: Comprehensive Overview from Akka
		Akka Multi-Agent Planner, Dynamic Orchestration
	LLM stateless	Agent Memory Guide, MapZero, One Context
/		ReAct, Crew AI vs LangGraph

. AI " ", , , .

2. "" ""

What is Agentic AI .

SaaS, -, stateless. .

- .
- API .
- .
- -> -> -> .

, LLM .


Akka A-Tier . N-tier, .

, .

1. LLM .
2. // .
3. .

3. " " " "

. .



3.1

Weather Agent -> Preferences Entity -> Activity Agent .

- .
- .

- .
- .

3.2

SelectorAgent -> PlannerAgent -> Workflow -> Worker Agents, LLM .

- worker .
- .
- .

- .
- .
- .

,

4.


, .

AI AGENT MEMORY ARCHITECTURE

1 SHORT-TERM CONTEXT (Active Window)

2 WORKING MEMORY (Task Management)

3 LONG-TERM MEMORY ARCHIVE



LLM

		,
		, , step, tool
		, ,

" " , context poisoning .

DB .

-
-
-
-

MapZero , One Context Git branch/commit/merge/search . . .

5. ReAct CrewAI/LangGraph:

5.1 : ReAct


Thought -> Action -> Observation .

-
-
-
-

self-review

5.2

Crew AI vs LangGraph



	CrewAI	LangGraph

CrewAI , LangGraph

, " "

-
-
- , LLM

6.

, AI 3

6.1 1: + +

- ReAct
-
-

" "

6.2 2:

-
-
-
-

6.3.3: +

- selector / planner / worker
-
-
- , ,

" " , .



Akka agentic architecture, , . , " " , .

7.

AI LLM , .

8.

- [Agentic AI: Comprehensive Overview from Akka](#)
- [Akka Multi-Agent Planner](#)
- [Multi-Agent Planner Step 6: Dynamic Orchestration](#)
- [ReAct - AI](#)
- [\(Agent Memory Guide\)](#)
- [- AI](#)
- [One Context - Git Context Controller\(GCC\)](#)
- [AI vs -](#)

Akka, Weaviate Context Engineering, ProcessGPT/Lilys AI, One Context .